

Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
Purpose	To ensure Balancing Authorities confirm Interchange Schedules with Adjacent Balancing Authorities prior to implementing the schedules in their Area Control Error (ACE) equations.	<u>The purpose of this reliability standard is to require</u> balancing authorities to confirm interchange schedules with adjacent balancing authorities prior to implementing the schedules in their Area Control Error (ACE) equations.	Minor change to writing style.
Applicability	Balancing Authorities	<u>Independent System Operator</u> balancing authorities	Identified the responsible entity in Alberta.
Effective Date	January 1, 2007		To appear in the footer of the reliability standard.
Definitions		<u>Italicized terms used in this reliability standard have the meanings as set out in the Alberta Reliability Standards Glossary of Terms and Part 1 of the ISO Rules.</u>	Added definitions section to the Alberta reliability standard.
Requirements	R1. Each Receiving Balancing Authority shall confirm Interchange Schedules with the Sending Balancing Authority prior to implementation in the Balancing Authority's ACE equation.	R1 Each receiving balancing authority <u>must</u> confirm <u>each interchange schedules</u> with the sending balancing authority prior to implementation in <u>both</u> balancing authority's <u>area control error</u> equation. <u>Information must be retained to confirm that each interchange schedule's start and end time, and energy profile were confirmed prior to implementation in the balancing authority's area control</u>	Replaced the passive term "shall" with "must".

- Formatted ... [1]
- Formatted ... [2]
- Deleted: To...ensure ... [3]
- Formatted ... [4]
- Formatted ... [5]
- Formatted ... [6]
- Formatted ... [7]
- Formatted ... [8]
- Deleted: ¶
- Formatted ... [9]
- Formatted ... [10]
- Formatted ... [11]
- Deleted: Italicized terms use ... [12]
- Formatted ... [13]
- Deleted: ¶
- Formatted ... [15]
- Formatted ... [16]
- Formatted ... [17]
- Deleted: .
- Formatted ... [18]
- Deleted: shall ...Interchange ... [19]
- Formatted ... [20]
- Deleted: the
- Formatted ... [21]
- Deleted: ACE
- Formatted ... [22]
- Deleted: 2008-10-08



Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
		<u>error equation. The information retained must be e-tags or voice recordings if e-tags are not available.</u>	

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font: (Default) Arial, 11 pt

Formatted: Indent: Left: 0 pt, First line: 0 pt

Deleted: 2008-10-08



Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
R1.1	<p>The Sending Balancing Authority and Receiving Balancing Authority shall agree on Interchange as received from the Interchange Authority, including:</p> <p>R1.1.1. Interchange Schedule start and end time.</p> <p>R1.1.2. Energy profile.</p>	<p>R1.1. The sending balancing authority, and receiving balancing authority, <u>must</u> agree on interchange schedule as received from the Interchange Authority, start and end time and energy profile. <u>The information must be retained to confirm that each interchange schedule's start and end time, and energy profile were agreed to prior to implementation in the balancing authority's area control error equation. The information retained must be e-tags or voice recordings if e-tags are not available.</u></p>	<p>Replaced the passive term "shall" with "must".</p> <p>Alberta Variance²: Removed term "Interchange Authority" as this function does not exist in the Western Interconnection, i.e. an Interchange Authority does not provide interchange schedules to the Alberta Balancing Area.</p>
		<p>R1.2. If a high voltage direct current (HVDC) tie is on the Scheduling Path, then the Sending Balancing Authorities and Receiving Balancing Authorities shall coordinate the Interchange Schedule with the Transmission Operator of the HVDC tie.</p>	<p>R1.2. If an Alberta HVDC tie is on the Scheduling Path, <u>the ISO must coordinate the interchange schedule with the TFO of the HVDC tie. The information must be retained to confirm that the ISO coordinated the interchange schedule with the TFO of the HVDC tie. The information retained must be a voice recording or equivalent evidence, if the interchange schedule is coordinated by a means other than voice.</u></p>

- Formatted: Font: (Default) Arial, 11 pt
- Formatted ... [23]
- Formatted: Font: (Default) Arial, 11 pt, Bold
- Formatted ... [24]
- Formatted: Indent: Left: 0 pt, First line: 0 pt
- Formatted ... [25]
- Formatted ... [26]
- Deleted: including interchange schedule
- Formatted ... [27]
- Formatted ... [28]
- Formatted ... [29]
- Formatted: Indent: Left: 0 pt, First line: 0 pt
- Deleted: .
- Deleted: high voltage direct current (...)...then ...Sending Balancing Authorities and Receiving Balancing Authorities shall...Interchange Schedule ...Transmission Op(... [30]
- Formatted: Font: (Default) Arial, 11 pt
- Formatted ... [31]
- Formatted: Indent: Left: 0 pt

² Alberta Variance is a change from the US Reliability Standard that the AESO has determined is material.

Deleted: 2008-10-08

Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
Procedures	None	None	
Measures	<p>M1. Each Receiving and Sending Balancing Authority shall have and provide upon request evidence that could include, but is not limited to, interchange transaction tags, operator logs, voice recordings or transcripts of voice recordings, electronic communications, computer printouts, or other equivalent evidence that will be used to confirm that each Interchange Schedule's start and end time, and energy profile were confirmed prior to implementation in the Balancing Authority's ACE equation. (Requirement R1, R1.1, R1.1.1 & R1.1.2)</p>	<p><u>The following measures correspond to the requirements identified in Section 5 of this reliability standard. For example, MR1 is the measure for R1.</u></p> <p><u>These measures will be used by the ISO in carrying out its compliance monitoring duties in accordance with ISO rule 12. The ISO may consider other data and information, including any provided by a market participant.</u></p> <p><u>MR1, E-tags or voice recordings exist and are provided upon request. The e-tags or voice recordings contain the content specified to confirm the requirement is met.</u></p> <p><u>MR1.1, E-tags or voice recordings exist and are provided upon request. The e-tags or voice recordings contain the content specified to confirm the requirement is met. The ISO must have and provide upon request by the compliance monitor, e-tags and voice recordings that will be used to confirm that each interchange schedule's start and end time, and energy profile were</u></p>	<p>Modified to assign measure to each requirement, identify the responsible Alberta entity and replace the passive term "shall" with "must".</p> <p>Modified to identify that agreeing on interchange requires voice recordings as evidence.</p>

- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: Not Italic
- Formatted: Font: Not Italic
- Formatted: Font: 11 pt
- Formatted: Font: Not Italic
- Formatted: Font: Not Italic
- Formatted: Font: (Default) Arial
- Formatted ... [32]
- Formatted ... [33]
- Formatted ... [34]
- Formatted ... [35]
- Formatted ... [36]
- Formatted: Font: Bold
- Deleted: M1. Each Receiving ... [37]
- Formatted: Font: (Default) Arial
- Formatted ... [38]
- Formatted: Font: Not Italic
- Formatted: Font: Not Italic
- Formatted ... [39]
- Deleted: Interchange Schedule's
- Deleted: 2008-10-08

Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
		confirmed prior to implementation in the balancing authority's <u>area control error</u> equation.	
	M2. Each Receiving and Sending Balancing Authority shall have and provide upon request evidence that could include, but is not limited to, interchange transaction tags, operator logs, voice recordings or transcripts of voice recordings, electronic communications, computer printouts, or other equivalent evidence that will be used to confirm that it coordinated the Interchange Schedule with the Transmission Operator of the HVDC tie as specified in Requirement 1.2.	MR1.2 <u>Voice recordings or equivalent evidence exists and is provided upon request. The voice recordings or evidence contain the content specified to confirm the requirement is met.</u> <u>The ISO must have and provide upon request by the compliance monitor,</u> voice recordings or equivalent evidence <u>if the interchange schedule is coordinated by a means other than voice, which</u> will be used to confirm that <u>the ISO</u> coordinated the interchange schedule with the <u>TFO</u> of the HVDC tie.	Modified to assign a measure for each requirement, identify the responsible Alberta entity and replace the passive term "shall" with "must"..

- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: Not Italic
- Deleted: ACE
- Formatted: Font: (Default) Arial, 11 pt
- Deleted: (Requirement R1, R1.1, R1.1.1 & R1.1.2)
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial, 11 pt, Bold
- Formatted ... [40]
- Formatted ... [41]
- Formatted ... [42]
- Formatted ... [43]
- Formatted ... [44]
- Formatted ... [45]
- Formatted ... [46]
- Formatted ... [47]
- Formatted ... [48]
- Formatted ... [49]
- Formatted ... [50]
- Formatted ... [51]
- Deleted: 2008-10-08

Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
Compliance	<p>D. Compliance</p> <p>1. Compliance Monitoring Process</p> <p>1.1. Compliance Monitoring Responsibility Regional Reliability Organizations shall be responsible for compliance monitoring.</p> <p>1.2. Compliance Monitoring and Reset Time Frame One or more of the following methods will be used to assess compliance: <ul style="list-style-type: none"> - Self-certification (Conducted annually with submission according to schedule.) - Spot Check Audits (Conducted anytime with up to 30 days notice given to prepare.) - Periodic Audit (Conducted once every three years according to schedule.) - Triggered Investigations (Notification of an investigation must be made within 60 days of an event or complaint of noncompliance. The entity will have up to 30 days to prepare for the investigation. An entity may request an extension of the preparation period and the extension will be considered by the Compliance Monitor on a case-by-case basis.) The Performance-Reset Period shall be 12 months from the last finding </p>		<p>There is no compliance section currently proposed in the Alberta Reliability Standards.</p> <p>A compliance program will be developed at a later date for Alberta Reliability Standards that recognizes the compliance monitoring and enforcement structure in Alberta.</p> <p>This approach is deemed consistent with the existing ISO Rules.</p>

- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: 11 pt
- Formatted: Font: (Default) Arial
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial
- Formatted: Font: (Default) Arial, 11 pt

Deleted: 2008-10-08

Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
	<p>of noncompliance.</p> <p>1.3. Data Retention Each Balancing Authority shall keep 90 days of historical data (evidence). If an entity is found non-compliant the entity shall keep information related to the noncompliance until found compliant or for two years plus the current year, whichever is longer. Evidence used as part of a triggered investigation shall be retained by the entity being investigated for one year from the date that the investigation is closed, as determined by the Compliance Monitor, The Compliance Monitor shall keep the last periodic audit report and all requested and submitted subsequent compliance records.</p> <p>1.4. Additional Compliance Information None.</p> <p>2. Levels of Non-Compliance for Balancing Authorities:</p> <p>2.1. Level 1: There shall be a separate Level 1 non-compliance, if either of the following conditions exists:</p> <p>2.1.1 One instance of entering a schedule into its ACE equation without confirming the schedule as specified in</p>		

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Deleted: 2008-10-08

Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
	<p>R1, R1.1, R1.1.1 and R1.1.2.</p> <p>2.1.2 One instance of not coordinating the Interchange Schedule with the Transmission Operator of the HVDC tie as specified in R1.2</p> <p>2.2. Level 2: There shall be a separate Level 2 non-compliance, if either of the following conditions exists:</p> <p>2.2.1 Two instances of entering a schedule into its ACE equation without confirming the schedule as specified in R1, R1.1, R1.1.1, and R1.1.2.</p> <p>2.2.2 Two instances of not coordinating the Interchange Schedule with the Transmission Operator of the HVDC tie as specified in R1.2</p> <p>2.3. Level 3: There shall be a separate Level 3 non-compliance, if either of the following conditions exists:</p> <p>2.3.1 Three instances of entering a schedule into its ACE equation without confirming the schedule as specified in R1, R1.1, R1.1.1, and R1.1.2.</p> <p>2.3.2 Three instances of not coordinating the Interchange Schedule with the Transmission Operator of the HVDC tie as specified in R1.2</p> <p>2.4. Level 4: There shall be a separate Level 4 non-compliance, if either of the following conditions exists:</p>		

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Deleted: 2008-10-08

Comparison between NERC INT-003- 2 and Alberta INT-003-AB-2 Interchange Transaction Implementation			
Section	NERC INT-003-2	Alberta INT-003-AB-2	Reason for difference
	<p>2.4.1 Four or more instances of entering a schedule into its ACE equation without confirming the schedule as specified in R1, R1.1, R1.1.1, and R1.1.2.</p> <p>2.4.2 Four or more instances of not coordinating the Interchange Schedule with the Transmission Operator of the HVDC tie as specified in R1.2.</p>		
Regional Differences	<p>E. Regional Differences</p> <p>1. MISO Scheduling Agent Waiver dated November 21, 2002.</p> <p>2. MISO Enhanced Scheduling Agent Waiver dated July 16, 2003.</p> <p>3. MISO Energy Flow Information Waiver dated July 16, 2003.</p>		Not applicable in Alberta

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial, 11 pt

Deleted: 2008-10-08

Page 1: [1] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [2] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [2] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, No underline		
Page 1: [3] Deleted	gardnek	2008-10-03 6:25:00 PM
To		
Page 1: [3] Deleted	gardnek	2008-10-07 9:22:00 AM
ensure		
Page 1: [4] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [5] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [5] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [5] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [6] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [6] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic		
Page 1: [7] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic		
Page 1: [7] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [8] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [9] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [10] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [11] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [12] Deleted	pglatthor	2008-12-16 5:47:00 PM
Italicized terms used in this reliability standard have the meanings as set out in Part 1 of the ISO Rules including, but not limited to, the following terms:		
area control error or ACE		
Page 1: [13] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, No underline		
Page 1: [14] Deleted	pglatthor	2008-12-16 5:47:00 PM

adjacent balancing authority
balancing authority
e-tag
high voltage direct current or HVDC
interchange
interchange schedule
Independent System Operator or ISO
receiving balancing authority
reliability standard schedule
scheduling path
sending balancing authority
transmission facility owner or TFO

Page 1: [15] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic, No underline		
Page 1: [15] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic, No underline		
Page 1: [15] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic, No underline		
Page 1: [15] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic, No underline		
Page 1: [15] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic, No underline		
Page 1: [15] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic, No underline		
Page 1: [15] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic, No underline		
Page 1: [16] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [16] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial		
Page 1: [16] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 1: [16] Formatted	gardnek	2008-10-07 9:25:00 AM
Font: (Default) Arial, 11 pt, Bold		
Page 1: [17] Formatted	gardnek	2008-10-07 9:27:00 AM
Indent: Left: -1.05 pt, Hanging: 1.05 pt		
Page 1: [18] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		

¹Where a defined term is followed by an acronym, the acronym may be used as an alternative to the defined term.

Page 1: [18] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 1: [18] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 1: [19] Deleted shall	gardnek	2008-10-03 6:28:00 PM
Page 1: [19] Deleted Interchange	gardnek	2008-10-03 6:29:00 PM
Page 1: [19] Deleted Schedules	gardnek	2008-10-03 6:29:00 PM
Page 1: [20] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 1: [21] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 1: [22] Formatted Font: Not Italic	gardnek	2008-10-07 9:24:00 AM
Page 1: [22] Formatted Font: Not Italic	gardnek	2008-10-07 9:24:00 AM
Page 1: [22] Formatted Font: Not Italic	gardnek	2008-10-07 9:24:00 AM
Page 1: [22] Formatted Font: Not Italic	gardnek	2008-10-07 9:24:00 AM
Page 3: [23] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 3: [23] Formatted Font: (Default) Arial	gardnek	2008-10-07 9:24:00 AM
Page 3: [23] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 3: [24] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 3: [24] Formatted Font: (Default) Arial, 11 pt, Not Italic	gardnek	2008-10-07 9:24:00 AM
Page 3: [24] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 3: [24] Formatted Font: (Default) Arial, 11 pt, Not Italic	gardnek	2008-10-07 9:24:00 AM
Page 3: [24] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM
Page 3: [24] Formatted Font: (Default) Arial, 11 pt, No underline	gardnek	2008-10-07 9:24:00 AM
Page 3: [24] Formatted Font: (Default) Arial, 11 pt	gardnek	2008-10-07 9:24:00 AM

Page 3: [24] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic		
Page 3: [24] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 3: [24] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Highlight		
Page 3: [25] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Highlight		
Page 3: [25] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Highlight		
Page 3: [25] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 3: [26] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial		
Page 3: [26] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 3: [27] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 3: [27] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic		
Page 3: [27] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 3: [27] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: Not Italic		
Page 3: [27] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: Not Italic		
Page 3: [27] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: Not Italic		
Page 3: [27] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: Not Italic		
Page 3: [27] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 3: [28] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial		
Page 3: [28] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 3: [29] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		

Page 3: [29] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial		
Page 3: [29] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 3: [29] Formatted	gardnek	2008-10-07 9:25:00 AM
Font: (Default) Arial, 11 pt, Bold		
Page 3: [30] Deleted	gardnek	2008-10-03 6:35:00 PM
high voltage direct current (
Page 3: [30] Deleted	gardnek	2008-10-03 6:35:00 PM
)		
Page 3: [30] Deleted	gardnek	2008-10-08 7:31:00 PM
then		
Page 3: [30] Deleted	gardnek	2008-10-03 6:39:00 PM
Sending Balancing Authorities and Receiving Balancing Authorities shall		
Page 3: [30] Deleted	gardnek	2008-10-03 6:40:00 PM
Interchange		
Page 3: [30] Deleted	gardnek	2008-10-03 6:40:00 PM
Schedule		
Page 3: [30] Deleted	gardnek	2008-10-03 6:40:00 PM
Transmission Operator		
Page 3: [31] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: Not Italic		
Page 3: [31] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 4: [32] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 4: [33] Formatted	gardnek	2008-10-07 9:27:00 AM
Font: (Default) Arial, 11 pt, Bold		
Page 4: [34] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 4: [35] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 4: [36] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 4: [37] Deleted	gardnek	2008-10-03 6:44:00 PM
M1. Each Receiving and Sending Balancing Authority shall have and provide upon request evidence that could include, but is not limited to, interchange transaction tags, operator logs, voice recordings or transcripts of voice recordings, electronic communications, computer printouts, or other equivalent evidence		
Page 4: [38] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 4: [39] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		

Page 5: [40] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 5: [41] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 5: [42] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, No underline		
Page 5: [43] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 5: [44] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic		
Page 5: [45] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 5: [46] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic		
Page 5: [47] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 5: [48] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic		
Page 5: [49] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		
Page 5: [50] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt, Not Italic		
Page 5: [51] Formatted	gardnek	2008-10-07 9:24:00 AM
Font: (Default) Arial, 11 pt		