

6. Measures

The following measures correspond to the requirements identified in Section 4 of this reliability standard. For example, MR1 is the measure for R1.

MR1 *E-tags or voice recordings exist and are provided upon request. The e-tags or voice recordings contain the content specified to confirm the requirement is met.*

MR1.1 *E-tags or voice recordings exist and are provided upon request. The e-tags or voice recordings contain the content specified to confirm the requirement is met. The ISO must have and provide upon request by the compliance monitor, e-tags and voice recordings that will be used to confirm that each interchange schedule's start and end time and energy profile were confirmed prior to implementation in the balancing authority's area control error equation.*

MR1.2 *Voice recordings or equivalent evidence exists and is provided upon request. The voice recordings or evidence contain the content specified to confirm the requirement is met. The ISO must have and provide upon request by the compliance monitor, voice recordings or equivalent evidence if the interchange schedule is coordinated by a means other than voice, which will be used to confirm that the ISO coordinated the interchange schedule with the TFO of the HVDC tie.*

7. Appendices

No appendices have been defined for this reliability standard.

8. Guidelines

No guidelines have been defined for this reliability standard.

Revision History

Effective	Description
####-##-##	New Issue

Formatted: Border: Bottom: (Single solid line, Auto, 0.5 pt Line width)

Formatted: Bullets and Numbering

Formatted: Body Text, Space Before: 0 pt, After: 0 pt

Formatted: Font: Not Italic

Deleted: ¶

Formatted: Font: 10 pt

Formatted: Measure R1 Text, Space Before: 0 pt, After: 0 pt

Deleted:

Formatted: Font: Bold

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Bold

Formatted: Measure R Level 2, Indent: Left: 0 pt, First line: 0 pt, Space Before: 0 pt, After: 0 pt

Deleted:

Formatted: Font: Italic

Formatted: Font: Italic

Deleted: ,

Deleted: B

Deleted: A

Formatted: Font: Bold

Deleted: ¶

Deleted: MR1 ... [44]

Formatted: Bullets and Numbering

Formatted: Body Text

Formatted: Bullets and Numbering

Deleted: Submitted for ERC approval: 2008-10-16

Deleted: .

Deleted: Page 2 of 3¶

Formatted: Border: Top: (Single solid line, Auto, 0.5 pt Line width)

Deleted: 2008-11-04

Formatted: Font: Arial, 10 pt

Deleted: FINAL DRAFT .

Formatted: Font: 10 pt

Formatted: Font: (Default) Arial, 10 pt

Formatted: Font: 10 pt

Page 1: [1] Formatted	eolivier	2008-10-08 5:42:00 PM
Font: 12 pt		
Page 1: [2] Formatted	eolivier	2008-10-08 7:01:00 PM
Border: Top: (Single solid line, Auto, 0.5 pt Line width)		
Page 1: [3] Style Definition	gardnek	2008-10-29 4:49:00 PM
Heading 1: Indent: Left: 0 pt, Hanging: 21.6 pt, Space Before: 8 pt, After: 8 pt, Tabs: 21.6 pt, Left + Not at 18 pt		
Page 1: [4] Style Definition	eolivier	2008-10-08 5:37:00 PM
Bullet Indent: Font: Not Italic, Bulleted + Level: 1 + Aligned at: 21.6 pt + Tab after: 39.6 pt + Indent at: 39.6 pt, Tabs: 36 pt, Left		
Page 1: [5] Style Definition	gardnek	2008-10-08 5:57:00 PM
Measure R Level 2: Indent: Left: 57.6 pt, Hanging: 43.2 pt		
Page 1: [5] Style Definition	gardnek	2008-10-08 5:54:00 PM
Measure R1 Text: Indent: Left: 21.6 pt		
Page 1: [6] Style Definition	gardnek	2008-10-08 5:57:00 PM
Measure R Level 2: Indent: Left: 57.6 pt, Hanging: 43.2 pt		
Page 1: [6] Style Definition	gardnek	2008-10-08 5:54:00 PM
Measure R1 Text: Indent: Left: 21.6 pt		
Page 1: [7] Style Definition	gardnek	2008-10-08 5:57:00 PM
Measure R Level 2: Indent: Left: 57.6 pt, Hanging: 43.2 pt		
Page 1: [7] Style Definition	gardnek	2008-10-08 5:54:00 PM
Measure R1 Text: Indent: Left: 21.6 pt		
Page 1: [8] Formatted	eolivier	2008-10-08 5:27:00 PM
Bottom: 72 pt, Footer distance from edge: 43.2 pt		
Page 1: [9] Formatted	eolivier	2008-10-08 5:29:00 PM
Header, Left		
Page 1: [10] Formatted	eolivier	2008-10-08 5:31:00 PM
Body Text, None, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers		
Page 1: [11] Formatted	eolivier	2008-10-08 5:32:00 PM
Font: Italic		
Page 1: [12] Deleted	gardnek	2008-10-07 9:14:00 AM
ensure		
Page 1: [12] Deleted	gardnek	2008-10-08 2:24:00 PM
<i>B</i>		
Page 1: [13] Formatted	eolivier	2008-10-08 5:33:00 PM
Font: Italic		
Page 1: [14] Formatted	eolivier	2008-10-08 5:33:00 PM
Font: Italic		
Page 1: [15] Formatted	eolivier	2008-10-08 6:10:00 PM
Font: Italic		

Page 1: [16] Formatted	eolivier	2008-10-08 5:33:00 PM
Font: Italic		
Page 1: [17] Formatted	eolivier	2008-10-08 5:33:00 PM
Font: Italic		
Page 1: [17] Formatted	eolivier	2008-10-08 5:33:00 PM
Font: Italic		
Page 1: [18] Formatted	eolivier	2008-10-08 5:33:00 PM
Body Text, Space Before: 0 pt, After: 0 pt		
Page 1: [19] Deleted	eolivier	2008-10-31 3:20:00 PM
<i>Independent System Operator</i>		
Page 1: [20] Formatted	eolivier	2008-10-08 5:37:00 PM
Font: Italic		
Page 1: [21] Formatted	eolivier	2008-10-08 5:37:00 PM
Font: Italic		
Page 1: [22] Formatted	eolivier	2008-10-08 5:36:00 PM
Bullet Indent, Indent: Left: 0 pt		
Page 1: [23] Deleted	gardnek	2008-10-08 2:24:00 PM
<i>B</i>		
Page 1: [23] Deleted	gardnek	2008-10-08 2:24:00 PM
<i>A</i>		
Page 1: [24] Change	gardnek	2008-10-08 2:07:00 PM
Formatted Bullets and Numbering		
Page 1: [25] Deleted	gardnek	2008-10-08 2:07:00 PM
Effective Date		
This <i>reliability standard</i> becomes effective upon approval of it by the <i>Commission</i> .		
Page 1: [26] Formatted	eolivier	2008-10-08 5:37:00 PM
Body Text, Space After: 0 pt		
Page 1: [27] Deleted	eolivier	2008-10-29 4:48:00 PM
including, but not limited to, the following terms:		
Page 1: [28] Formatted	gardnek	2008-11-04 8:48:00 AM
Font: Italic, Underline		
Page 1: [28] Formatted	gardnek	2008-11-04 8:28:00 AM
No underline		
Page 1: [29] Change	gardnek	2008-10-08 2:07:00 PM
Formatted Bullets and Numbering		
Page 1: [30] Formatted	eolivier	2008-10-08 5:38:00 PM
Font: Italic		
Page 1: [31] Formatted	eolivier	2008-10-08 5:38:00 PM
Font color: Auto		
Page 1: [31] Formatted	eolivier	2008-10-08 5:38:00 PM
Font: Italic		

Page 1: [32] Deleted	eolivier	2008-10-29 4:49:00 PM
<i>compliance monitor</i> <i>e-tag</i> <i>high voltage direct current or HVDC</i> <i>interchange</i> <i>interchange schedule</i> <i>Independent System Operator or ISO</i>		
Page 1: [33] Deleted	eolivier	2008-10-29 4:49:00 PM
<i>authority</i> <i>reliability standard</i> <i>schedule</i> <i>scheduling path</i>		
Page 1: [34] Deleted	eolivier	2008-10-29 4:49:00 PM
<i>authority</i> <i>transmission facility owner or TFO</i>		
Page 1: [35] Formatted	eolivier	2008-10-08 5:44:00 PM
Font: Bold		
Page 1: [36] Formatted	eolivier	2008-10-08 5:44:00 PM
Requirement Level 1 Text, Indent: Left: 0 pt, First line: 0 pt, Don't keep with next, Don't keep lines together		
Page 1: [37] Deleted	gardnek	2008-10-08 2:25:00 PM
R		
Page 1: [37] Deleted	gardnek	2008-10-08 2:25:00 PM
B		
Page 1: [37] Deleted	gardnek	2008-10-08 2:25:00 PM
A		
Page 1: [37] Deleted	gardnek	2008-10-08 2:11:00 PM
S		
Page 1: [37] Deleted	gardnek	2008-10-08 2:25:00 PM
S		
Page 1: [37] Deleted	gardnek	2008-10-08 2:25:00 PM
B		
Page 1: [37] Deleted	gardnek	2008-10-08 2:25:00 PM
A		
Page 1: [37] Deleted	gardnek	2008-10-07 9:16:00 AM

the

Page 1: [37] Deleted	gardnek	2008-10-08 2:25:00 PM
----------------------	---------	-----------------------

B

Page 1: [37] Deleted	gardnek	2008-10-08 2:25:00 PM
----------------------	---------	-----------------------

A

Page 1: [38] Formatted	eolivier	2008-10-08 7:06:00 PM
------------------------	----------	-----------------------

Border: Top: (Single solid line, Auto, 0.5 pt Line width)

Page 1: [39] Deleted	gardnek	2008-11-03 11:26:00 AM
----------------------	---------	------------------------

Submitted for ERC approval: 2008-10-16

Page 1: [40] Formatted	eolivier	2008-10-29 4:51:00 PM
------------------------	----------	-----------------------

Font: Arial, 10 pt

Page 1: [41] Formatted	eolivier	2008-10-08 5:27:00 PM
------------------------	----------	-----------------------

Font: 9 pt

Page 1: [42] Formatted	eolivier	2008-10-29 4:51:00 PM
------------------------	----------	-----------------------

Font: 10 pt

Page 1: [43] Formatted	eolivier	2008-10-08 5:27:00 PM
------------------------	----------	-----------------------

Font: 9 pt

Page 2: [44] Deleted	eolivier	2008-10-08 5:58:00 PM
----------------------	----------	-----------------------

MR1

The *ISO* must have and provide upon request by the *compliance monitor*, *e-tags* or voice recordings if *e-tags* are not available, that will be used to confirm that each *interchange schedule's* start and end time, and energy profile were confirmed prior to implementation in the *Balancing Authority's area control error* equation.