Part 200 Markets Division 205 Ancillary Services Section 205.2 Issuing Dispatches and Directives for Operating Reserve

Applicability

- 1 Section 205.2 applies to:
 - (a) a pool participant; and
 - (b) the ISO,

during normal market conditions when providing and utilizing **operating reserve** that the **ISO** has procured.

Requirements

Issuing Dispatches and Directives

- **2(1)** The **ISO** must issue **dispatches** for all available active **operating reserve**.
- (2) The ISO must, when active **operating reserve** is not sufficient to meet requirements, use the **merit order** to issue **dispatches** for standby **operating reserve**.
- (3) The ISO must, if it determines that the delivery of additional real power from operating reserve is required to ensure the safe and reliable operation of the interconnected electric system or to meet reserve sharing group requirements, issue a directive to a pool participant that has accepted a dispatch for supplemental reserve or spinning reserve, as applicable.

Dispatch and Directive Quantities

- **3(1)** The **ISO** may only issue a **dispatch** or **directive** for a quantity of **operating reserve** that is equal to or less than the MW indicated in the corresponding **offers** in the Electronic Trading System.
- (2) Notwithstanding subsection 3(1), the **ISO** may, if it has:
 - (a) issued dispatches for quantities represented in all offers for operating reserve; and
 - (b) determined that it requires additional operating reserve to ensure the safe and reliable operation of the interconnected electric system;

issue a directive for the required additional quantity of operating reserve.

Concurrent Energy and Operating Reserve

- **4(1)** A **pool participant** must, in order to be paid for **operating reserve**, comply with subsections 4(2) and 4(3).
- (2) A pool participant must, if it receives an energy market dispatch while it is responding to a dispatch for operating reserve, continue to provide the operating reserve.
- (3) A pool participant must, if it receives a directive for spinning reserve or supplemental reserve while responding to a dispatch to decrease the real power output of the pool asset in the energy market:
 - (a) cease responding to the **dispatch** in the energy market;
 - (b) provide the **spinning reserve** quantity in accordance with section 205.5 of the **ISO rules**,

Effective: 2014-12-23 Page 1 of 3

Part 200 Markets Division 205 Ancillary Services Section 205.2 Issuing Dispatches and Directives for Operating Reserve

Spinning Reserve Technical Requirements and Performance Standards or the **supplemental reserve** quantity in accordance with section 205.6 of the **ISO rules**, Supplemental Reserve Technical Requirements and Performance Standards, as applicable; and

- (c) commence or resume response to the **dispatch** in the energy market fifteen (15) minutes after the receipt of the **directive** for **spinning reserve** or **supplemental reserve**.
- (4) A pool participant must, if it receives a directive for spinning reserve or supplemental reserve while responding to a dispatch to increase the real power output of the pool asset in the energy market:
 - (a) provide the **spinning reserve** quantity in accordance with section 205.5 of the **ISO rules**, Spinning Reserve Technical Requirements and Performance Standards or the **supplemental reserve** quantity in accordance with section 205.6 of the **ISO rules**, Supplemental Reserve Technical Requirements and Performance Standards, as applicable; and
 - (b) commence or resume the response to the **dispatch** in the energy market after first achieving the **spinning reserve** or **supplemental reserve** quantity.
- (5) A pool participant must, if it receives a dispatch to decrease the real power output of the pool asset any time after a directive for spinning reserve or supplemental reserve and while the directive remains in effect:
 - (a) not respond to the **dispatch** in the energy market for fifteen (15) minutes after receiving the **directive** for **spinning reserve** or **supplemental reserve**;
 - (b) continue to provide the spinning reserve quantity in accordance with section 205.5 of the ISO rules, Spinning Reserve Technical Requirements and Performance Standards or the supplemental reserve quantity in accordance with section 205.6 of the ISO rules, Supplemental Reserve Technical Requirements and Performance Standards, as applicable; and
 - (c) start responding to the **dispatch** in the energy market the later of fifteen (15) minutes after the receipt of the **directive** for **spinning reserve** or **supplemental reserve** or the time of the **dispatch**.
- (6) A pool participant must, if it receives a dispatch to increase the real power output of the pool asset any time after a directive for spinning reserve or supplemental reserve and while the directive remains in effect:
 - (a) continue to provide the spinning reserve quantity in accordance with section 205.5 of the ISO rules, Spinning Reserve Technical Requirements and Performance Standards or the supplemental reserve quantity in accordance with section 205.6 of the ISO rules, Supplemental Reserve Technical Requirements and Performance Standards, as applicable; and
 - (b) start responding to the **dispatch** in the energy market after first achieving the **spinning** reserve or supplemental reserve quantity.

Concurrent Transmission Must-Run and Operating Reserve

5(1) A **pool participant** must, if it receives a **dispatch** for contracted **transmission must-run** while under a **dispatch** or **directive** for **operating reserve**, provide the **transmission must-run** and any

Effective: 2014-12-23 Page 2 of 3

Part 200 Markets Division 205 Ancillary Services Section 205.2 Issuing Dispatches and Directives for Operating Reserve

operating reserve that was the subject of a dispatch or directive.

(2) A pool participant must, if it is unable to provide the entire transmission must-run and operating reserve referenced in subsection 5(1), provide the transmission must-run first and submit a restatement for the operating reserve in accordance with subsection 3 of section 205.3 of the ISO rules, Restatements for Operating Reserve.

Concurrent Dispatch Down Service and Operating Reserve

- **6(1)** A **pool participant** must, if it receives a **dispatch** for **operating reserve** capacity while it is participating in the **dispatch down service** market, comply with both the **dispatch** for **dispatch down service** and any other **dispatch** or **directive** for energy or **operating reserve**.
- (2) A pool participant must, if it is unable to provide the entire dispatch down service and operating reserve referenced in subsection 6(1), provide operating reserve first.

Revision History

Effective	Description
2014-12-23	Initial release

Effective: 2014-12-23 Page 3 of 3