

## Micro-generation in Alberta

Under the current *Micro-generation Regulation*, Alberta supports the development of simple, safe and reliable micro-generation technologies for domestic use. This regulation allows Albertans to generate their own electricity from small (Less than 5 MW) alternative and renewable sources of energy and receive credit for any power they send to the electricity grid. Technologies may include: solar photovoltaic, solar/wind combined systems, micro-wind turbines, small hydro systems, small gas turbines, biomass, pump jacks, and waste heat recovery systems.


The *Micro-generation in Alberta* report contains the number of sites and total installed capacity of micro-generation by technology type. This report is updated on a quarterly basis.

Further information on micro-generation can be found on the Alberta Utilities Commission website.

Table 1: Micro-generation by Type

February-2018	Solar	Solar/Wind	Wind	Other	Natural Gas	NG CO-GEN	Total
Number of Sites	2,362	29	63	8	1	1	2,464
Total Installed Capacity (kW)	23,992	195	912	253	305	847	26,504

Figure 1: Micro-generation Development in Alberta



## Comments or questions can be directed to <a href="mailto:forecast@aeso.ca">forecast@aeso.ca</a>

The information contained in this document is for information purposes only, and the AESO is not responsible for any errors or omissions. Further, the AESO makes no warranties or representations as to the accuracy, completeness or fitness for any particular purpose with respect to the information contained herein, whether express or implied. Consequently, any reliance placed on the information contained herein is at the user's sole risk.

Capacity: Represents the generator rated capacity (KW) as reported by the Wire Service Provider (WSP).

Type: Represents the generator type as reported by the WSP.

Date: Represents the commissioning start and stop dates issued by the WSP in the Micro-generation retailer notification transaction files as outlined in the Settlement System Code AUC Rule 021